# **ADJUST-ANGLE AIR DUCT THERMOMETER** MODEL AS6

## SIMPLE ADJUSTMENT

Just two screws permit case to be rotated 180° and stem to be positioned 10° increments allowing user to select the most desirable viewing position.

## **EASY READABILITY**

Lens front blue liquid filled thermometer tube is mounted on V-shaped aluminum scale with bold black lines and numerals.

### ACCURATE

Calibrated against standards traceable to the National Institute of Standards and Technology and guaranteed accurate to ± one scale division.

### CONSTRUCTION

Standard with protective slotted bulb guard. Black molded ABS case with glass front to exclude dirt and dust is standard for ranges up to 240°F\* (114°C). Aluminum case is optional at additional charge. Plastic face is optional at additional charge. ABS case should not be subjected to temperatures greater than 200°F

# **CONNECTION ASSEMBLY**

Swivel nut has 1 1/4" - 18" NEF thread. Comes complete with mounting flange (P/N: All-3I)

See page 3 for case dimensions.



#### CATALOG NUMBERS

FORM	SCALE SIZE	STEM LENGTHS		
		6"	9"	12"
ADJUST	7"	AS6L-7	-	-
ANGLE	9"	AS6L-9	AS6N-9	AS6Q-9

#### **STANDARD TEMPERATURE RANGES**

				_
CODE	FAHRENHEIT	SCALE SIZE		0
		7"	<b>9</b> "	
09	-40 to 110°F	2°	2°	Γ
16	0 to 120°F	1°	1°	Γ
18	0 to 160°F	2°	2°	Γ
36	20 to 180°F	2°	2°	
42	30 to 240°F	2°	2°	

,	CODE	CELSIUS	SCALE
			9" Only
	CC	-15 to 50°C	1/2°
	CD	-15 to 70°C	1°
	CH	0 to 115°C	1°
1			

CODE	DUAL SCALE	SCALE
	(both °F and °C)	9" Only
DA	-40 to 110°F & -40 to 43°C	2°/1°
DC	0 to 120°F & -17 to 49°C	1°/1/2°
DD	0 to 160°F & -17 to 71°C	2°/1°
DF	20 to 180°F & -6 to 82°C	2°/1°
DH	30 to 240°F & 0 to 114°C	2°/1°

HOW TO ORDER - PLEASE SPECIFY THE FOLLOWING:				
MODEL #	STEM LENGTH	SCALE SIZE	RANGE	OPTIONS
AS6	L = 6'' stem $Q = 12''$ stem $N = 9''$ stem	<b>7</b> = 7" scale <b>9</b> = 9" scale	2 digit code from tables	<b>AL</b> = Aluminum Case <b>P</b> = Plastic Lens

Customer
Project
Engineer
PRO or P.O. #

Weksler Glass Thermometer Corporation 3295 Cobb International Blvd. • Kennesaw, GA 30152 Telephone: 888-650-6923 • Fax: 770-429-0795 E-mail: Sales@WekslerGlass.com • Website: www.WekslerGlass.com



F

130

= 110

90

÷ 70

- 50

30

20

100

80

60

20

dentinden

÷ 40